



Exhibit 117




Part 2




TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-026		Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 10/30/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.02109			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm ²			1.103



Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E10-A1							
1	A2	Bundle	Tremolite	7.1	0.40	17.8	X	X
NSD	A3							
NSD	A4							
NSD	A5							
2	A6	Bundle	Tremolite	10.6	1.80	5.9	X	X
3	A7	Bundle	Tremolite	8.4	0.80	10.5	X	X
4	A8	Bundle	Tremolite	7.6	0.80	9.5	X	X
5	A9	Bundle	Tremolite	6.8	0.80	8.5	X	X
NSD	A8							
6	A9	Bundle	Tremolite	7.3	1.20	6.1	X	X
NSD	A10							
NSD	B1							
7	B2	Bundle	Tremolite	7.3	0.70	10.4	X	X
NSD	B3							

NSD
NSD
8
9
10
11
NSD
12
NSD
13
NSD
14
15
NSD
NSD
NSD
NSD
NSD
NSD
NSD
16
NSD
NSD
17
18
NSD
NSD
NSD
NSD
NSD
NSD
NSD
NSD
2 4890 M68503-026-004 Tremolite Diffraction @ 50cm 10/23/201










TEM Bulk Talc Structure Count Sheet					
Project/ Sample No.	M68503-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton	G. O. in microns =	Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 10/30/2018		105	105	11025
Initial Weight(g)	0.02109		105	105	11025
Analysis Type	Post Separation Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted
2	Screen Magnification	20 KX	Area Examined mm ²		1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E10-A1							
1	A2	Bundle	Tremolite	7.1	0.40	17.8	X	X
NSD	A3							
NSD	A4							
NSD	A5							
2	A6	Bundle	Tremolite	10.6	1.80	5.9	X	X
3	A7	Fiber	Tremolite	3.1	0.23	13.5	X	X
4		Bundle	Tremolite	7.6	0.80	9.5	X	X
5		Bundle	Tremolite	3.2	0.50	6.4	X	X
6	A8	Bundle	Tremolite	7.3	1.20	6.1	X	X
NSD	B1							
NSD	B2	Bundle	Tremolite	7.3	0.70	10.4	X	X
NSD	B3							





MAS, LLC, SUWING, ON OCT 23

, of 3










TEM Bulk Talc Structure Count Sheet					
Project/ Sample No.	M68503-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton	G. O. in microns =	Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 10/30/2018		105	105	11025
Initial Weight(g)	0.02109		105	105	11025
Analysis Type	Post Separation Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted
2	Screen Magnification	20 KX	Area Examined mm ²		1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E10-A1							
1	A2	Bundle	Tremolite	7.1	0.40	17.8	X	X
NSD	A3							
NSD	A4							
NSD	A5							
2	A6	Bundle	Tremolite	10.6	1.80	5.9	X	X
3	A7	Fiber	Tremolite	3.1	0.23	13.5	X	X
4		Bundle	Tremolite	7.6	0.80	9.5	X	X
5		Bundle	Tremolite	3.2	0.50	6.4	X	X
NSD	A8							
6	A9	Bundle	Tremolite	7.3	1.20	6.1	X	X
NSD	A10							
NSD	B1							
7	B2	Bundle	Tremolite	7.3	0.70	10.4	X	X
NSD	B3							
NSD	B4							
NSD	B5							
8	B6	Bundle	Tremolite	9.8	1.80	5.4	X	X
9	B7	Bundle	Tremolite	7.3	0.80	9.1	X	X
10	B8	Bundle	Tremolite	7.0	0.80	8.8	X	X










TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-026		Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 10/30/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.02109			105	105	11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E10-A1							
1	A2	Bundie	Tremolite	7.1	0.40	17.8	X	X
NSD	A3							
NSD	A4							
NSD	A5							
2	A6	Bundie	Tremolite	10.6	1.80	5.9	X	X
3	A7	Fiber	Tremolite	3.1	0.23	13.5	X	X
4		Bundie	Tremolite	7.6	0.80	9.5	X	X
5		Bundie	Tremolite	3.2	0.50	6.4	X	X
NSD	A8							
6	A9	Bundie	Tremolite	7.3	1.20	6.1	X	X
NSD	A10							
NSD	B1							
7	B2	Bundie	Tremolite	7.3	0.70	10.4	X	X
NSD	B3							
NSD	B4							
NSD	B5							
8	B6	Bundie	Tremolite	6.8	1.00	5.4	X	X
9	B7	Bundie	Tremolite	4.3	0.80	5.4	X	X
10	B8	Bundie	Tremolite	4.2	0.60	7.0	X	X
11	B9	Bundie	Tremolite	5.6	0.60	9.3	X	X
12	B10	Bundie	Tremolite	7.4	1.40	5.3	X	X
NS								
1.								X
NS								
1.								X
NS								
1.								X
TI								X
NS								
NC								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE								
NS								
NC								
NE			</					





TEM Bulk Talc Structure Count Sheet					
Project/ Sample No.	M68503-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton	G. O. in microns =	Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 10/30/2018		105	105	11025
Initial Weight(g)	0.02109		105	105	11025
Analysis Type	Post Separation Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted
2	Screen Magnification	20 KX	Area Examined mm ²		1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E10-A1							
1	A2	Bundle	Tremolite	7.1	0.40	17.8	X	X
NSD	A3							
NSD	A4							
NSD	A5							
2	A6	Bundle	Tremolite	10.6	1.80	5.9	X	X
3	A7	Fiber	Tremolite	3.1	0.23	13.5	X	X
4		Bundle	Tremolite	7.6	0.80	9.5	X	X
5		Bundle	Tremolite	3.2	0.50	6.4	X	X
NSD	A8							
6	A9	Bundle	Tremolite	7.3	1.20	6.1	X	X
NSD	A10							
NSD	B1							
7	B2	Bundle	Tremolite	7.3	0.70	10.4	X	X
NSD	B3							
NSD	B4							
NSD	B5							
8	B6	Bundle	Tremolite	9.8	1.80	5.4	X	X
9	B7	Bundle	Tremolite	9.8	0.80	12.3	X	X
10	B8	Bundle	Tremolite	7.0	0.80	8.8	X	X
11	B9	Bundle	Tremolite	7.2	0.70	10.3	X	X
NSD	B10							
12								X
NSI								
13								X
NSI								
14								X
15								X
NSI								
NSI								
NSI								
NSI								
NSI								
16								X
NSI								
17								X
18								X
NSI								
NSI								
NSI								
NSI								
NSI								
NSI								
NSI								
NSI								




MAS,LLC.



1 of 3

2 4715

M68503-026-010 Tremolite Diffraction @ 50cm


10/24/2018








TEM Bulk Talc Structure Count Sheet					
Project/ Sample No.	M68503-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton	G. O. in microns =	Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 10/30/2018		105	105	11025
Initial Weight(g)	0.02109		105	105	11025
Analysis Type	Post Separation Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted
2	Screen Magnification	20 KX	Area Examined mm ²		1.103


Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	E10-A1							
1	A2	Bundle	Tremolite	7.1	0.40	17.8	X	X
NSD	A3							
NSD	A4							
NSD	A5							
2	A6	Bundle	Tremolite	10.6	1.80	5.9	X	X
3	A7	Fiber	Tremolite	3.1	0.23	13.5	X	X
4		Bundle	Tremolite	7.6	0.80	9.5	X	X
5		Bundle	Tremolite	3.2	0.50	6.4	X	X
NSD	A8							
6	A9	Bundle	Tremolite	7.3	1.20	6.1	X	X
NSD	A10							
NSD	B1							
7	B2	Bundle	Tremolite	7.3	0.70	10.4	X	X
NSD	B3							
NSD	B4							
NSD	B5							
8	B6	Bundle	Tremolite	9.8	1.80	5.4	X	X
9	B7	Bundle	Tremolite	4.3	0.80	5.4	X	X
10	B8	Bundle	Tremolite	5.5	0.55	10.0	X	X
11	B9	Bundle	Tremolite	7.4	1.10	6.7	X	X
NSD	B10							
12								
NSD								
13								
NSD								
14								
NSD								
15								
NSD								
16								
NSD								
17								
NSD								
18								
NSD								
19								
NSD								
20								
NSD								
21								
NSD								
22								
NSD								
23								
NSD								
24								
NSD								
25								
NSD								
26								
NSD								
27								
NSD								
28								
NSD								
29								
NSD								
30								
NSD								



2 4718 M68503-026-011 Tremolite Diffraction @ 50cm 10/24/2018








TEM Bulk Talc Structure Count Sheet								
Project/ Sample No.	M68503-026	Grid Box #	8632	No. of Grids Counted	2			
Analyst:	Anthony Keeton		Length	Width	G. O. Area			
Date of Analysis								
Initial Weight(g)								
Analysis Type								
Scope No.								
2								
Str. #								
NSD								
1								
NSD								
NSD								
2								
3								
4								
5								
NSD								
6								
NSD								
NSD								
7								
NSD								
NSD								
8								
9								
10								
11								
12	2 4722	M68503-026-012 Tremolite Diffraction @ 50cm			10/24/2018			
12	C1	Bundle	Tremolite	13.3	0.70	19.0	X	X
13	C3	Bundle	Tremolite	3.7	0.45	8.2	X	X
14	C5	Bundle	Tremolite	3.4	0.60	5.7	X	X
15	C6	Bundle	Tremolite	3.2	0.23	13.9	X	X
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
16	D4	Bundle	Tremolite	30.8	4.0	7.7	X	X
NSD	D5							
NSD	D6							
17	D7	Bundle	Tremolite	2.8	0.50	5.6	X	X
18	D8	Bundle	Tremolite	7.9	0.92	8.6	X	X
NSD	D9							
NSD	D10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							

MAS, LLC, Suwanee, GA 30024

1 of 3








TEM Bulk Talc Structure Count Sheet									
Project/ Sample No.	M68503-026	Grid Box #	8632	No. of Grids Counted	2				
Analyst:	Anthony Keeton		Length	Width	G. O. Area				
Date of Analysis	10/23/2018 - 10/30/2018		105	105	11025				
Initial Weight(g)									
Analyst Type									
Scope No									
2									
Str. #									
NSD									
1									
NSD									
NSD									
NSD									
2									
3									
4									
5									
NSD									
6									
NSD									
NSD									
7									
NSD									
NSD									
NSD									
8									
9									
10									
11									
NSD									
12									
2 4727	M68503-026-013 Tremolite Diffraction @ 50cm				10/25/2018				
13	C3	Bundle	Tremolite	3.7	0.45	8.2	X	X	
14	C5	Bundle	Tremolite	3.4	0.60	5.7	X	X	
15	C6	Bundle	Tremolite	3.2	0.23	13.9	X	X	
NSD	C7								
NSD	C8								
NSD	C9								
NSD	C10								
NSD	D1								
NSD	D2								
NSD	D3								
16	D4	Bundle	Tremolite	30.6	4.0	7.7	X	X	
NSD	D5								
NSD	D6								
17	D7	Bundle	Tremolite	2.8	0.50	5.6	X	X	
18	D8	Bundle	Tremolite	7.9	0.92	8.6	X	X	
NSD	D9								
NSD	D10								
NSD	G1								
NSD	G2								
NSD	G3								
NSD	G4								
NSD	G5								
NSD	G6								
NSD	G7								
NSD	G8								

MAS,LLC, Suwanee, GA 30024

1 of 3





TEM Bulk Talc Structure Count Sheet					
Project/ Sample No.	M68503-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton		Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 10/30/2018	G. O. in microns =	105	105	11025
Initial Weight(g)	0.02109		105	105	11025
Analyst Type					
Scope No					
2					

Str. #

NSD

1

NSD

NSD

NSD

2

3

4

5

NSD

6

NSD

7

NSD

NSD

NSD

8

9

10


11

NSD

12

NSD

13






2 4729M68503-026-014 Tremolite Diffraction @ 50cm10/25/2018


14	C5	Bundle	Tremolite	3.4	0.60	5.7	X	X
15	C6	Bundle	Tremolite	3.4	0.60	5.7	X	X
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
16	D4	Bundle	Tremolite	30.6	4.0	7.7	X	X
NSD	D5							
NSD	D6							
17	D7	Bundle	Tremolite	2.8	0.50	5.6	X	X
18	D8	Bundle	Tremolite	7.9	0.92	8.6	X	X
NSD	D9							
NSD	D10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							

MAS,LLC, Suwanee, GA 30024

1 of 3







TEM Bulk Talc Structure Count Sheet								
Project/ Sample No.	M68503-026	Grid Box #	8632	No. of Grids Counted	2			
Analyst:	Anthony Keeton		Length	Width	G. O. Area			
Date of Analysis	10/23/2018 - 10/30/2018	G. O. in microns =	105	105	11025			
Initial Weight(g)	0.02109		105	105	11025			
Analysis Type								
Scope No	2							
Str. #								
NSD								
1								
NSD								
NSD								
2								
3								
4								
5								
NSD								
6								
NSD								
NSD								
7								
NSD								
NSD								
8								
9								
10								
11								
NSD								
12								
13								
NSD								
2 4731	M68503-026-015 Tremolite Diffraction @ 50cm				10/25/2018			
15	C6	Bundle	Tremolite	3.2	0.23	13.9	X	X
NSD	C7							
NSD	C8							
NSD	C9							
NSD	C10							
NSD	D1							
NSD	D2							
NSD	D3							
16	D4	Bundle	Tremolite	30.8	4.0	7.7	X	X
NSD	D5							
NSD	D6							
17	D7	Bundle	Tremolite	2.8	0.50	5.6	X	X
18	D8	Bundle	Tremolite	7.9	0.92	8.6	X	X
NSD	D9							
NSD	D10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							

MAS,LLC, Suwanee, GA 30024





1 of 3







TEM Bulk Talc Structure Count Sheet					
Project/ Sample No.	M68503-026		Grid Box #	8632	No. of Grids Counted
Analyst:	Anthony Keeton		Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 10/30/2018		105	105	11025
Initial Weight(g)	0.02109		G. O. in microns =		11025
Analysis Type	Post Separation Talc Analysis		Grid Acceptance	Yes	Average
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted
2					100


Str. #	NSD																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
--------	-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--






TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-026		Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 10/30/2018		G. O. in microns =	105	105	11025
Initial Weight(g)	0.02109			105	105	11025
Analysis Type	Post Separation Talc Analysis			Grid Acceptance	Yes	Average
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #								
NSD								
1								
NSD								
NSD								
NSD								
2								
3								
4								
5								
NSD								
6								
NSD								
NSD								
7								
NSD								
NSD								
NSD								
8								
9								
10								
11								
NSD								
12								
NSD								
13								
NSD								
14								
15								
NSD								
NSD								
NSD								
NSD								
NSD								
2 4/40	M585C3-026-017 Tremolite Diffraction @ 50cm							10/23/2016
NSD								
NSD	D2							
NSD	D3							
16	D4	Bundle	Tremolite	30.6	4.0	7.7	X	X
NSD	D5							
NSD	D6							
17	D7	Bundle	Tremolite	2.8	0.50	5.6	X	X
NSD	D8							
NSD	D9							
NSD	D10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							







TEM Bulk Talc Structure Count Sheet						
Project/ Sample No.	M68503-026		Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton		G. O. in microns =	Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 10/30/2018			105	105	11025
Initial Weight(g)	0.02109			105	105	11025
Analysis Type	Post Separation Talc Analysis			Grid Acceptance	Yes	Average
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Examined mm²			1.103

Str. #	Asbestos							
NSD								
1								
NSD								
NSD								
NSD								
2								
3								
4								
5								
NSD								
6								
NSD								
NSD								
7								
NSD								
NSD								
NSD								
8								
9								
10								
11								
NSD								
12								
NSD								
13								
NSD								
14								
15								
NSD								
NSD								
NSD								
NSD								
NSD								
NSD								
2 4744	M68503-026-018 Tremolite Diffraction @ 50cm				10/26/2018			
16	D4	Bundle	Tremolite	30.6	4.0	7.7	X	X
NSD	D5							
NSD	D6							
17	D7	Bundle	Tremolite	5.5	0.92	8.6	X	X
18	D8	Bundle	Tremolite	7.9	0.92	8.6	X	X
NSD	D9							
NSD	D10							
NSD	G1							
NSD	G2							
NSD	G3							
NSD	G4							
NSD	G5							
NSD	G6							
NSD	G7							
NSD	G8							

MAS,LLC, Suwanee, GA 30024

1 of 3





Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSU	G9							
19	G10	Bundie	Tremolite	7.5	0.80	9.4	X	X
NSD	E9-A1							
20	A2	Bundie	Tremolite	3.9	0.60	6.5	X	X
21	A3	Bundie	Tremolite	4.1	0.60	6.8	X	X
NSD	A4							
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							

29	H3	Bundle	Tremolite	9.2	1.40	6.6	X	X
NSD	H4							
NSD	H5							
NSD	H6							

